

AJD 200

John Deere
Mecc Alte
P 602



ISO8528	GC ;) &
SZUTEST	GC - \$\$\$
CE	

2000/14/EC
	\$\$\$#(#
	z) \$' z'z' D:

	"	"	"	"	Amp
400/230	200,00	160,00	180,00	144,00	260,00

...
...
...

Standard Specifications

...
...
...

1

...
...
...
...
...

ALTERNATOR

TRANSFER SWITCH

AJD 200

John Deere
Mecc Alte
P 602

Manufacturer		John Deere		
Model		6068 H		
		% \$ \$ ' "# "		
		% ' \$ \$ \$ ' "		
		Q & () \$ \$ \$ < DQ		
	L	6,800		
	"	106 X127		
		17:1		
	fl # ı	"# "	1500	
	fl ı	L	32,00	
		L	36,50	
AbsorbedAirDischargeReSourceKey.Text	' # "	11,50		
	' # "	252,10		
	' # "	32,90		
	° C	603,00		
		12 V d.c.		
	Load	% \$ \$ ı	' +) ı) \$ ı
	# "	41,00	31,30	20,50

		Mecc Alte		
		ECO 38-1SN		
	Hz	50		
	"	180,00		
7cg'		0,80		
		3		
	fl ı	400/230		
	A	259,00		

		fl ı		fl ı	
	"	"	"	"	L
AJD 200	1570,00	2392,00	1150,00	1521,00	380,00
		fl ı		fl ı	
	"	"	"	"	L
AK 50	1990	3402	1160	1866	380

AJD 200

John Deere
Mecc Alte
P 602

1 D * \$ & !



- 1 A U]b' gUhi g'X]gd'Um'
- 2 8]gd'Um gVfc'' Vi hrcb''
- 3 DU[Yf]bZcfa Uhjcb'Vi hrcb''
- 4 7 ca a cb U'Ufa]bX]WUhc''
- 5 GHUhi g'@98fj''
- 6 C dYfUhc'b'gY'YVfb['Vi hrcbg''

2

8G9ža cXY'' \$&\$'5i hc' A U]bg': U]i fy Věbfc'' a cXi 'Y'
6UHYfmVUf[Yf]bdi h%, !&*('j c'hžci rdi h''&+ž' 'J) '5'f&('J' Ecf'% ž 'J c'h) 5'f&&J Ł
9a Yf[YbVhgrcd' di g\ 'Vi hrcb'UbX' ž gYg'ZfVěbfc'' V]fVW]rg''

3

7 ca dcbYbrg]bghU''YX]b'g\YYhgHY''YbWcgi fy''D\cgd\UHY'WYa]W'ždfY!VěUhb['cZghYY''dfcj]XYg Věffcg]cb
fYg]ghUbhgi fZUW''Dc'mYgYfVěa dcg]Y' dck XYf' hcdVěUhZcfa g\][\ ['cgg'UbX'YI hYa Y'mXi fUV'Y ž]b]g\''@cV\UV'Y
UbX'\]b[YX'dUbY'Xccf' dfcj]XYg YUgmUWV'gg hc''Věa dcbYbrg''

4

'7 cbhfc''dUbY''jg'a ci bHYX'cb VUgYZUa Y k]h' ghY''ghUbX''@cWUHYX'UhihY'f][\hg]XY'cZhY [YbYfUhc'f'gyhfK \Yb'mci
'cc_'UhihY'; Yb''GYH'žca '5'fYfbUhc'fŁ

5

H\Y''8G9'' \$&\$']g'U'ghUbXUfX'Věbfc'' a cXi 'Y'Zf'ci f [YbYfUhc'f'gYhg'i d'hc'&\$\$_J 5'UbX'ih\Ug'VYYb'XYg][bYX'hc'
ghUfhiUbX'ghcd'X]YgY'UbX'[Ug[YbYfUhc'f'gYhg''H\Y'8G9'' \$&\$' a cXi 'Y'\Ug'VYYb'XYg][bYX'hc' a cb]hc'f [YbYfUhc'f'
žYei YbVhžj c'žW'fYbžYb[]bY'c']dfYggi fYžVěc'UbhiYa dYfUhi fy'fi bb]b[\ci fg'UbX'VUHYfmj'c'hg''A cXi 'Y'
a cb]hc'fg'hY'a U]bg'gi dd'imUbX'gk]W'c] Yf'hc'hY' [YbYfUhc'f'k \Yb'hY'a U]bg'dck Yf'žU]g''H\Y'8G9'' \$&\$' U'gc
]bX]WUHY'g'cdYfUhc'bU'ghUhi g'UbX'žIi hVěbX]h]cbgž'5i hca U]W'mg\i h]b['Xck b'hY'; Yb''GYhUbX'[]]b['hfi Y'žfghi d
žIi hVěbX]h]cb'cZ; Yb''GYhžU]i fy''H\Y'@7 8'X]gd'Um]bX]WUHY'g'hY'žIi 'h'

A]WědfcW'ggcf'Věbfc''YX''
@7 8'X]gd'Uma U_Yg]bZcfa Uhjcb'YUgmhc'fYUX''
(!']bYž*('1 '% &d]]Y'X]gd'Um'

5i hca U]W'mifUbgZf'g'VYh'YYb'a U]bg'fi h]h'hc'UbX' [YbYfUhc'f'dck Yf''
A Ubi U'dfc[fUa a]b['cb'žcbhdUbY''
I gYf]ž]YbX'mgYh'i d'UbX'Vi hrcb''Uhc'i h'
F Ya chY'ghUf'h'
9j Ybh'c[[]b['f] h'g\ck]b['XUHY'UbX'h'a Y''
7cbhfc'g' Ghcd#F YgYž'A Ubi U'ž5i hcžHYghžGHUf'žVi hrcbg''5b'UXX]h]cbU'di g\ 'Vi hrcb'bYI hrc'hY'@7 8'X]gd'Um]g'
i gYX'hc'gVfc''h'fci [\ hY'a cXi 'Ygfa YHf]b['X]gd'Umg''

AJD 200

John Deere
Mecc Alte
P 602

9B: #9
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUVY' hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i ffYbhf@&!@ E"
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn"
A U]bg'YbUV'YX"
; Yb"GYhfYUXn"
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #][\] c' hU[Y"
: U] 'hc' ghcd"
@ck #][\ [YbYfUhc'f] c' hU[Y"
I bXYf#j Yf[YbYfUhc'f] fYei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
G<I H8CK BG
: U] 'hc' gUff"
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf[YbYfUhc'f] fYei YbVW"
I bXYf#j Yf[YbYfUhc'f] c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF -D
: YbYfUhc'f] YfW'ffYbh"


: 'YI J'V'Y'gYbgcf'WVb VY V'c'bfcc'YX'k]h' h'Ya dYfUhi fYz
dfYggi fYz dYfVW'bhU[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' h'f]dL
@c'W'gYh]b['dUfUa YHfg'UbX'a cb]h'f]b['Zca 'D7 'hc
V'c'bfcc' a cXi 'Y'k]h' I G6 V'c'bbYVW]cb'fa Ul '* 'a H'

9'YVW]VW' GUZYhm#9A 7 'V'a dUfV]]hm6G'9B '* \$-) \$
9'YVW]VW' Vi g]bYgg'Yei]da Ybh'
6G'9B '*%\$!*&9A 7 'ja a i b]mighUbXUfX"
6G'9B '*%\$!*('9A 7 'Ya]gg]cb'ghUbXUfX

'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' 'gk]h'W]b[!a cXY'UbX'GA 8 'YVW'bc'c[mUbX'ih\Ug\][\ YZ]VW'YbVW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUWVf]gh]W]g] YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g]' Ua dYfz% z 'J 'Zcf'%&j c'hUbX'&+Z' 'J 'Zcf'&'('J '
#bdi h% , 'I &'(j c'h57 "'Dfc]bY'&(\$) \Ug'Z 'mici hdi hg\chVW]hdfchVW]cb'UbX'ihVWb'VY'i gYX'Ug'U'W'ffYbhgci fVW"
Dfc]bY'%&\$) #&(\$) VUf[Yf'\Ug'\][\ YZ]VW'YbVW'cb[']Z'Z' 'ck ZU]i fY'fUfYz'][\hk Y][\hUbX' 'ck \YUhfUX]UfYX']b
UVV'cfXUbW'k]h' ']bYUf'U'HYfbU]h] Yg' H\Y'VUf[Yf]g'Z]h'YX'k]h' U'dfchVW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[Y'Z]
fY'UmV'c] VYhk Yyb'dcg]h] Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h' F: =Z]h'f'hc'fYXi VV'Y'YVW]VW'bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW"; Uj Ub]W' m]gc'UfYX']bdi hUbX'ci hdi h]m]d]VW'm(_J 'Zcf'\][\ fY']UV]]m'

AJD 200

John Deere
Mecc Alte
P 602



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam metarial
- 7 Lifting Points

	"	1160
fl "L	"	3402
fl "L	"	1866
	L	380