

# AJD 75

John Deere  
Mecc Alte  
D+&



<b>ISO8528</b>	GC, ) &
<b>SZUTEST</b>	GC - \$\$\$
<b>CE</b>	

**2000/14/EC**

&\$\$\$#( #

z) \$ z'z' D:

	"	"	"	"	Amp
400/230	75,00	60,00	68,00	54,40	98,00

Standard Specifications

z

fl ! E

z

z

ALTERNATOR

fl ! E

fl ! E

fl ! E

TRANSFER SWITCH

fl ! E

# AJD 75

John Deere  
Mecc Alte  
D+&

Manufacturer	John Deere		
Model	4045 T		
		% \$ \$	"# "
		+\$	"Q (<DQ
	L	4,50	
	"	106 X127	
		17:1	
	fl # ı	"# "	1500
	fl ı	L	13,20
		L	21,50
AbsorbedAirDischargeReSourceKey.Text	' # "	4,60	
	' # "	12,20	
	° C	538	
		12 V d.c.	
	Load	% \$ \$ı	'+)ı
	# "	) \$ı	
		16,00	12,20
			8,10


		Mecc Alte
		ECO 32-3L/4
	Hz	50
	"	70
7cg		0,80
		3
	fl ı	400/230
	A	101
Temperatur		H

		fl ı		fl ı	
	"	"	"	"	L
AJD 75	1050	2150	1050	1460	240
		fl ı		fl ı	
	"	"	"	"	L
AK 40	1380	3100	1110	1750	240

# AJD 75

John Deere  
Mecc Alte  
D+&''

1 D+&''



- 1
- 2
- 3
- 4
- 5

2

8G9ž +&\$ž ) 5ž&&\$#(\$

3

4

5

8G9'+&\$ 8G9'+&\$ ž fl

8G9'+&\$ ž fl

fl ž fl %\$\$

# ž ž ž ž

# AJD 75

John Deere  
Mecc Alte  
D+&

f@BŁ  
f@%&@Ł  
f@%&@BŁ

#

#

6G'9B \*\$-\$) \$  
6G'9B \*%\$\$!\*&  
6G'9B \*%\$\$!\*(

GA 8

!%& "

%, !&\* \$

%)

ž


ž

ž

# AJD 75

John Deere  
Mecc Alte  
D+&T

## 5? (\$!'



## 1

1110 3100 1750 240

## 1

1110 3100 1750 240

&\$\$\$#/# "

	"	1110
fl "L	"	3100
fl "L	"	1750
		240