

APD 25 A

Aksa
Aksa
D+&''



ISO8528	GC ;) &-
SZUTEST	GC - \$\$\$
CE	

2000/14/EC

&\$\$\$#(#

z) \$' z'z' D:

	"	"	"	"	Amp
400/230	25,00	20,00	23,00	18,40	33,00

rfpGDE

GC ;) &

rfDF DE

z&(

GC" \$(**

Standard Specifications

(*#\$\$

fl ! E

z

z

ALTERNATOR

fl " E

TRANSFER SWITCH

APD 25 A


Aksa
Aksa
D'+'&'

Manufacturer		Aksa
Model		A4CRX25
		%\$\$' "# "
		&(' "0 < DQ
	L	2,54
	"	90 X 100
		18.0:1
	fl # ı	"# " 1500
	fl ı	L 10,00
	L	11,00
AbsorbedAirDischargeReSourceKey.Text	' # "	2,40
	' # "	113
fl ' # ı	' # "	6,80
	° C	500
		12 V d.c.
	Load	%\$\$ı
	# "	6,20

		Aksa
	Hz	50
7 cg'		0,80
		3
	fl ı	400/230

		fl ı		fl ı	
	"	"	"	"	L
APD 25 A	665	1500	910	1100	95
		fl ı		fl ı	
	"	"	"	"	L
APD 25 A	790	1950	970	1250	

D'+'&'



APD 25 A

Aksa
Aksa
D+&''

- 1 8G9ž +&\$ž)5ž&&\$#&(\$
- 2
- 3
- 4 8G9'+&\$ 8G9'+&\$ ž fl
- 5 8G9'+&\$ ž
- 6 fl ž fl %&\$
- 7 # ž ž ž ž " " " " " "

APD 25 A

Aksa
Aksa
D+&''

f@BŁ
f@%&@Ł
f@%&@BŁ

#

#

6G'9B *\$-\$) \$
6G'9B *%\$\$!*&
6G'9B *%\$\$!*(

GA 8

%, !&* \$

%)

ž

ž

!%&

"

ž

APD 25 A

Aksa
Aksa
D+&

5D8'&) '5 !'

f) !&+) 7

ž

ž

ž

ž

ž

ž

	"	970
f) 7	"	1950
f) 7	"	1250