


APD 70 A

Aksa
Aksa
D+&"



ISO8528

SZUTEST

CE

2000/14/EC

400/230	70,00	56,00	64,00	51,20	Amp 92,00
---------	-------	-------	-------	-------	--------------

Standard Specifications

(*) \$S

ALTERNATOR

TRANSFER SWITCH

APD 70 A

Aksa
Aksa D+&




Manufacturer		Aksa
Model		A4CRX46T
		% \$ \$ ' "# "
		* & ' "Q' < DQ
	L	4,58
	"	108 X 125
		17:1
	fl # ı	"# " 1500
	fl ı	L 14,00
	L	19,00
AbsorbedAirDischargeReSourceKey.Text	' # "	3,90
	' # "	126
fl ' # ı	' # "	13,00
		24 V d.c.
	Load	% \$ \$ ı
	# "	
		17,00

		Aksa
	Hz	50
7cg		0,80
		3
	fl ı	400/230

		fl ı		fl ı	
	"	"	"	"	L
APD 70 A	1070	1860	900	1300	145
		fl ı		fl ı	
	"	"	"	"	L
APD 70 A	1440	2500	970	1600	

D+&



- 1
- 2
- 3
- 4
- 4

APD 70 A

Aksa
Aksa
D+&''



- 1 8G9ž +&\$ž)5ž&&\$#&(\$
- 2
- 3
- 4 8G9'+&\$ 8G9'+&\$ ž fl
&)' \$ ž
'8G9'+&\$ ž "
- 5 fl ž ž ž ž ž " fl %\$\$
ž
ž ž ž ž ž

APD 70 A

Aksa
Aksa
D+&''



f@Bt
f@%&@t
f@%&@Bt

#

#

6G'9B *\$-\$) '\$
6G'9B *%\$\$!*&
6G'9B *%\$\$!*(

GA 8

!%& "

%, !&*\$

%&\$)

ž

ž

ž

APD 70 A

Aksa
Aksa
D+&''



5D8'+\$'5!'

f) !&+) 7

ž

ž

ž

ž

ž

ž

ž

	"	970
f) 7	"	2500
f) 7	"	1600